



Management Districts
 Darby-Cobbs Watershed
 Delaware/Chester/Philadelphia/Montgomery
 Counties, PA

ACT 167
 Stormwater Management Plan
 Phase II

Appendix A

Map Legend

- Subarea Boundary
- County Boundaries
- Municipal Boundaries
- Subareas
- Streams
- Water
- Interstate Roads
- U.S. Traffic Routes
- PA. Traffic Routes
- State Routes
- Township & Local Roads
- Railroads

Prepared For:
 Delaware County Planning Department
 Court House/Government Center
 201 West Front Street
 Media, PA 19063
 610-891-5200

Note:
 Portions of these maps were generated from existing data sources as listed below. This existing data was utilized for base mapping purposes and is shown on the maps for spatial reference only. This data did not enter into any computations or affect the reliability of the hydrologic analysis. Borton-Lawson Engineering has found some inaccuracies in some of this data and has corrected the data in locations where these discrepancies were obvious, however, it was not a part of this ACT 167 Plan to correct all of the base data.

Data Sources:
 DRGs - USGS
 Subareas - BLE



613 Baltimore Drive Suite 300 Wilkes-Barre, PA 18702-7903 570-821-1999 Fax 570-821-1990
 6814 Chispaht Drive Suite 200 Bath, PA 18014 610-837-5916 Fax 610-837-5918
 World Wide Web : <http://www.borton-lawson.com>

Prepared By: CGF Check By:
 Project Number: 99613.01 Date of Plot: December 2003

Management Districts Legend

	Design Storm Proposed Conditions	Reduce To	Design Storm Existing Conditions
A	2 - Year 5 - Year 10 - Year 25 - Year 100 - Year		1 - Year 5 - Year 10 - Year 25 - Year 100 - Year
B-1	2 - Year 10 - Year 25 - Year 50 - Year 100 - Year		1 - Year 5 - Year 10 - Year 25 - Year 100 - Year
B-2	2 - Year 5 - Year 25 - Year 50 - Year 100 - Year		1 - Year 2 - Year 5 - Year 10 - Year 100 - Year
C*	Provisional Discharge District (see notes below *)		

* If storms greater than the 2 - year storm cannot be conveyed to a stream or watercourse in a safe manner, then District A requirements shall apply. (See model ACT 167 Stormwater Management Ordinance, Article III Section 308 for details.)

In addition to the Management District Criteria above, the groundwater recharge (Section 305), water quality (Section 306), and streambank erosion (Section 307) requirements shall also apply to all Management Districts within the Darby-Cobbs Watershed.

